

ATTN: APPLICATION BRANCH

**THIS IS A RESPONSE TO A
NOTICE TO FILE CORRECTED
APPLICATION PAPERS**

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

Re: Inventor: Masanori SAITOH, et al.
Serial No: 10/728,896
Filed: December 8, 2003
For: IMAGE FORMING APPARATUS

SIR:

Attached hereto for filing are the following papers:

Notice to File Corrected Application Papers
Letter Submitting Replacement Drawing Sheet(s)/Replacement Sheets (49)

Our check in the amount of \$0.00 is attached covering any required fees. In the event that any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 CFR 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 CFR 1.136 for the necessary extension of time. A duplicate of this sheet is enclosed.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

C. Irvin McClelland

Registration No. 21,124
Joseph A. Scafetta, Jr.
Registration No. 26,803

Docket No. 245150US3CONT

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/03)


 SEP 01 2004
 UNITED STATES PATENT AND TRADEMARK OFFICE

 UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/728,896	12/08/2003	Masanori Saitoh	245150US-557-557-3CONT

 22850
 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
 1940 DUKE STREET
 ALEXANDRIA, VA 22314

CONFIRMATION NO. 9652

FORMALITIES LETTER



OC000000013129717

Date Mailed: 07/01/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted


An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:


- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 24.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*


 Customer Service Center
 Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



Docket No.: 245150US3CONT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION: Masanori SAITOH, et al.

SERIAL NO.: 10/728,896

GAU: 2852

FILED: December 8, 2003

EXAMINER:

FOR: IMAGE FORMING APPARATUS

LETTER SUBMITTING REPLACEMENT DRAWING SHEET(S)

COMMISSIONER FOR PATENTS
Alexandria, VA 22313

SIR:

Responsive to the below indicated communication, the following drawing sheets are submitted herewith:

- ☒ 49 Replacement Drawing Sheets ☐ _____ New Drawing Sheets
- ☐ Official Action dated _____
- ☐ Notice of Allowance/Issue Fee dated _____
- ☒ Other Notice to File Corrected Application Papers dated July 1, 2004

The changes and/or modifications made include the following:

The replacement drawing sheets are submitted to meet the Patent and Trademark Office requirement.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

C. Irvin McClelland
Registration No. 21,124
Joseph A. Scafetta, Jr.
Registration No. 26,803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 06/04)